

PROJECT 10073 RECORD CARD

1. DATE 31 October 1958		2. LOCATION Long Beach, New York		12. CONCLUSIONS <input type="checkbox"/> Was Balloon <input type="checkbox"/> Probably Balloon <input type="checkbox"/> Possibly Balloon <input type="checkbox"/> Was Aircraft <input type="checkbox"/> Probably Aircraft <input type="checkbox"/> Possibly Aircraft <input checked="" type="checkbox"/> Was Astronomical Meteors <input type="checkbox"/> Probably Astronomical <input type="checkbox"/> Possibly Astronomical <input type="checkbox"/> Other _____ <input type="checkbox"/> Insufficient Data for Evaluation <input type="checkbox"/> Unknown	
3. DATE-TIME GROUP Local _____ GMT 01/0345Z Nov 58		4. TYPE OF OBSERVATION <input checked="" type="checkbox"/> Ground-Visual <input type="checkbox"/> Ground-Radar <input type="checkbox"/> Air-Visual <input type="checkbox"/> Air-Intercept Radar			
5. PHOTOS <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. SOURCE Civilian			
7. LENGTH OF OBSERVATION 4-5 secs//2 secs		8. NUMBER OF OBJECTS two	9. COURSE N to S/NE to SW		
10. BRIEF SUMMARY OF SIGHTING Two objs observed East of Long Beach. First was round, yellow in color, almost directly overhead. Second was triangular, red in color. Both were size of pea.			11. COMMENTS Meteor sightings.		

OPERATIONAL IMMEDIATE

Nov 1 16 41 '58

OCZCSQA484ZCSJA049

CC RJEDSQ

DE RJEDSJ 13

O 011540Z

FM COMDR 2500TH AB GRU

TO RJEDDN/COMDR ADC

RJEYNH/COMDR 26TH AIR DIV

RJEDSQ/COMDR AIR TECH INTEL CTR

RJEZHQ/HED USAF

BT

UNCLAS UFO FROM BASE OPS MTL 540-11 PD FOR ACS INTELLIGENCE, FOR OIS.

- (1) OBJECTS: TWO. SHAPE: ROUND & TRIANGULAR. (2) PEA.
 (3) YELLOWISH - RED. GLOWING. (4) TWO. (5) TWO-SEPARATE. (7) NONE.
 (8) NONE. B. (1) JUST HAPPENED TO LOOK. (2) EIGHTY DEGREES SLIGHTLY
EAST - 50 DEGREES FURTHER EAST. (3) TWENTY TO THIRTY DEGREES - THIRTY
DEGREES. (4) STRAIGHT NORTH TO SOUTH, - NORTHEAST TO SOUTHWEST. (5)
 FADED. (6) FOUR TO FIVE SECONDS - TWO SECONDS. C. (1) GROUND VISUAL.
 (2) NONE. (3) NONE. D. (1) ^{0345-5 = 2245} 010345Z. (2) NIGHT. E. OBJECT'S WAS SIGHTED
 WHILE OBSERVERS WAS AT HOME. F. (1) ~~REDACTED~~ - RABBI & WIFE,
 42, ~~REDACTED~~, LONG BEACH, NEW YORK. G. (1) CLEAR SKIES. (2)

TELEPHONE
 TO ATIC
 NO. 61316
 TIME 1145Z
 Date 1-7-58
 By: [Signature]

1 4E4
 2
 3 4x202
 me TW

6,000 - ^{NW}320/40, 10,000 - ^{NW}310/45, 16,000 - ^{NW}310/55, 20,000 - ^{NW}300/60,
30,000 - ^{NW}300/80, 50,000 - ^{NW}310/50, AND 800,00 - NOT AAUWD. (4) 12 MILES. (■

0349Z C-119 FROM PIT-HEM 0350Z. HEM 0354Z. HEM 0354Z C-119 FROM PIT-
HEM 0357Z. NYATC, TRANS-CANADA 218 VI-COUNT LIDO 0335Z. TRAN CANADA
338 VI-COUNT-LIDO 0343Z. SPEED BUD, 682 JET, LIDO 0354Z. PANCLIPPER
JET 707, SCOTLAND 0330Z. K. NO COMMENT. L. NONE

BT

01/1600Z NOV RJEDSJ

NNNN

ASTRONOMY

Mars Still Brightens

As Mars becomes brighter in the October evening sky, astronomers prepare to study the total eclipse of the sun on Oct. 12.

By JAMES STOKLEY

► **STEADILY DRAWING** closer to earth, the red planet Mars is becoming brighter than any star, or any other planet, visible in the evening sky. At a distance of 63,000,000 miles on Oct. 1, it will be only 52,700,000 miles from us on the 31st. It will then be approaching its minimum distance of 45,310,000 miles, which it reaches on Nov. 8.

Mars rises in the east about 8:00 p.m., your own kind of standard time (add one hour for daylight saving) at the beginning of October, or about two hours after sunset. It is then in the constellation of Taurus, the bull, which can be seen low in the east.

Its position is shown on the accompanying maps. These picture the sky as it appears around 10:00 p.m., your own kind of standard time, Oct. 1, an hour earlier on the 15th and two hours earlier at the end of the month. Expressed in the scale used by astronomers, its brightness increases during October from minus 1.2 to minus 1.8, which is an increase of 75%. It is now about ten times as bright as the first magnitude star Aldebaran, which is below Mars, also in Taurus. Another star of this magnitude, and even brighter, is Capella, in Auriga, the charioteer, which is just to the left of Taurus.

Vega Now Brightest

Brightest star of the October evenings, however, is Vega, in Lyra, the lyre, high in the northwest. Directly above it is Cygnus, the swan, in which Deneb is the lucida, the most brilliant star. Altair, also of the first magnitude, appears to the left of Lyra, in Aquila, the eagle.

A little earlier in the evening than the times for which the maps are prepared, you can see another planet, Saturn. It is in Ophiuchus, part of which is shown, in the west. Saturn sets, at the beginning of October, about 9:30.

The other naked eye planets are not easily visible in October. Mercury is too nearly in the same direction as the sun. The same is true of Jupiter, which was shining so brightly in the southwest a month or two ago.

Venus has been shining very brightly in the morning sky, just before sunrise. At the first of October it will appear above the eastern horizon about an hour ahead of the sun, and may be glimpsed if you have a clear view in that direction. By the end of the month, however, it will rise only a few minutes before sunrise, and will not be visible.

As the moon goes through its phases dur-

ing October, it will reach the new phase on Columbus Day, Oct. 12, at 3:52 p.m., EST. Whenever the moon is new it is nearly in the same direction as the sun, which is why we cannot then see it. The moon is illuminated only by sunlight, and then the half on which the sun is shining is turned away from us.

Ordinarily at new moon, however, that body does not come squarely between sun and earth; rather it goes a little north or south of the line joining the two bodies. But occasionally the moon does pass directly between them. Then its shadow may fall on some part of the earth, and from the region the shadow covers, the sun is hidden from view. That is, there is a total eclipse of the sun.

Such an event will happen on Columbus Day, Oct. 12. The eclipse will not be visible in the United States or any part of North America, but many scientists from various nations have migrated temporarily to some small islands in the South Pacific where it can be observed.


At 1:20 p.m., Eastern Standard Time, from a point in the Pacific near the Marshall Islands, which are about half way between Hawaii and New Guinea, the sun will be just rising. An observer at that place, looking carefully, would see a tiny

nick in the upper edge of the solar disc. This would be the moon, as the eclipse was just beginning. However, from this position he never would see the sun completely hidden.

The total eclipse will be visible along a path more than a hundred miles wide, starting at a point on the equator, north of the Solomon Islands. Here, at 2:17 p.m., EST, the sun would just be rising totally eclipsed. The tip of the moon's shadow, which is shaped like a cone, would just be touching earth. From there it sweeps in a southeasterly direction, tracing out the path of totality, until it leaves the earth, near San Luis, in the interior of Argentina.

There are a number of small islands in this path, and it is to these that the astronomers have traveled, since the most satisfactory eclipse observations require solid ground under the instruments. Five expeditions have gone from the United States to the Danger Islands, a group formed by a coral atoll at 10 degrees 55 minutes south latitude and 165 degrees 50 minutes west longitude. Their observations are part of the International Geophysical Year, the great project to study the earth and its surroundings, in which virtually all the nations of the earth are cooperating.

A naval vessel, the USS Thomaston, which is an LSD (landing ship dock, a kind of floating drydock), reached the eclipse site early in September. Since the entrance to the lagoon is not large enough to permit a ship of this size to enter, and the water offshore is too deep for an anchorage, it has



been slowly cruising back and forth two or three miles out, in the open ocean. The ship is provided with a helicopter, to carry the scientists back and forth, as well as equipment, for the members of the expedition will generally live on board. From there, the sun will be hidden for more than four minutes.

In addition to Americans, Russian astronomers are also ready to observe the eclipse, from another location. Japanese astronomers from Tokyo Observatory will make their eclipse observations from Suvarrow Island, which is about 200 miles southeast of the Danger group. Somewhat farther east is Tahiti which, however, is not in the path of totality, so Tahitians will see only a large partial eclipse.

Study the Corona

Although it is no longer necessary, as it was a few years ago, to wait for a total eclipse to observe the sun's outermost layer, the corona, this region can only be seen and photographed in its greatest detail and extent at such a time. Thus, many of the observations will be to record the corona, which changes in step with the 11-year cycle of solar activity.

Other studies will be made of the solar atmosphere, which is at the rim of the bright disc as we ordinarily see it. Just at the beginning, and end, of a total eclipse, part of this layer can be observed by itself, as the rest of the sun is covered. This will be done with the aid of spectroscopes which analyze its light and yield many valuable data.

Of course, such observations require a clear sky, and the New Zealand Weather Bureau has estimated that the chances of clear weather at eclipse time are 60%. But possible clouds will not affect the six Nike-Asp two-stage rockets that will be fired to a height of 150 miles; two before, two during and two after totality. These will be sent aloft from the Thomaston, and will make records of short ultraviolet rays and X-rays from the sun, radiations that do not reach the ground. Radio observations will also be made, to determine changes in the high atmosphere as it is momentarily in the moon's shadow.

Celestial Time Table for October

OCT. EST

2	1:23 p.m.	Moon passes Mars.
5	8:20 p.m.	Moon in last quarter.
12	3:52 p.m.	New moon; total eclipse visible in South Pacific.
	9:00 p.m.	Moon nearest; distance 221,000 miles.
16	8:12 p.m.	Moon passes Saturn.
19	9:07 a.m.	Moon in first quarter.
20	early a.m.	Meteors visible radiating from constellation Orion.
26	7:00 p.m.	Moon farthest; distance 252,500 miles.
27	10:41 a.m.	Full moon, Hunter's moon.
29	2:14 p.m.	Moon passes Mars.
31	early a.m.	Meteors visible radiating from Taurus.

Subtract one hour for CST, two hours for MST, and three for PST.

Science News Letter, September 27, 1958

NO CASE (INFORMATION ONLY)

18 October, 1958
Eastern Washington

Source: Space Craft Digest, Fall 1958

Big Fiery Object Seen In Early Morning Sky

By THE ALBUQUERQUE PRESS

shooting star". It was reported to have been seen from Spokane to Pasco and Prosser (Near the secret US Plutonium works at Hanford, Wn. Ed)

Deputy sheriff William H. Miller of Spokane County said the object lit up the ground around the patrol car in the Spokane Valley for from 15 to 20 seconds and the object cast shadows from nearby objects. Spokane city police said they also saw it. Other reports came in from Othello.

On the 18th of the month---
A big fiery object flashed across the sky in Eastern Washington early Friday and a weather observer at Spokane said, "it was as bright as lightning, too bright for a

23 October 1958
Disneyland, California

1958

CLOSE SIGHTING AT DISNEYLAND, CALIFORNIA: Almost as if some new wonderful exhibit were undergoing secret midnight tests, a brightly-glowing blimp-shaped UFO was seen floating 300 yards above Walt Disney's famous "Disneyland" near Garden Grove, California, last Oct. 23rd. It was seen by Richard Osterloh, who spotted the object while driving home at 12-30 a.m. along a nearby street. He described the object as the size and shape of a blimp, surrounded by a halo glow, and with three or four brightly shining colored lights in its center. It also had a tail about three or four times the length of the object itself, with a bright light shining at the end. The UFO was in view for about two minutes. Eventually it took a sharp dive toward the ground and disappeared in a bright flash, without making any noise.

Source: Space Craft Digest, Fall 1958

On Friday night the 24th of Oct. others saw similar performances." . . . Strange sky objects were apparently hovering in Marion County skies Friday night, judging from reports of two valley police chiefs.

Police Chiefs at Stayton, Mill City See 'Sky Light'

SAUCERMAN NEWS SERVICE

Stayton Police Chief, Everette Norfleet, Sgt. Ronald Frey and another Stayton man reported seeing an object in the Northeast sky traveling Southwest at 7:30 PM while they were on a routine police patrol.

"It looked like an evening star with a tail below it", Norfleet said. "I've watched for flying saucers ever since they were mentioned and I never saw anything like this," he added.

The object was reported to have been a light "star" color gradually changing to a ruddy glow and swinging like a pendulum. It was watched for some 15 minutes and still in view when the men resumed their police duties.

At the same time, Mill City Chief of Police, Clarence Meader reported seeing an object moving East from where he was watching, North of Mill City.

I am not saying what it was, Meader said, reporting that it was a clear bright blue point of light. The object was seen later in the evening from a point west of Mill City. This time it was moving West, Meader said.

Although there were jet planes reported in the area Friday night, both men said they were familiar with jets, and that the object was something else.